


isoplexis

isospark

SMALL. POWERFUL. AUTOMATED.

isoplexis



isospark

isoplexis

Superpowered Functional Proteomics for Every Lab

Discover the right system for your lab's throughput and immune landscaping needs.

isospark

A personalized proteomics system for any lab

18.0"



isolight

A high capacity instrument enabling higher throughput

28.5"



isospark duo

An advanced setup for complete functional immune landscaping

18.0"

18.0"



isospark

Tech Overview

A personalized proteomics system for any lab.

18 in

Footprint

Superpowered

Unique Applications

4 Chips

Throughput

Automated

Walk-away Proteomic Workflow



Intuitive Design

Elegantly designed with an intuitive user interface for ease-of-use and simplicity, completely automated for walk-away proteomics.




Reagent Bay

Load your reagents with a single-use cartridge for ultimate ease-of-use.



LED Status Bar

Instantly know the status of your experimental run with a quick glance.



Touch Screen UI

Award winning ease-of-use, now available on the IsoSpark.



plexis



spark


Engineering Innovations

Combining superpowered innovations into a system with just 18 inches in footprint for ease-of-use and same day insights.




Software-Enabled Optics

Multi-colored lasers enable sensitive and precision imaging of each cell via surface fluorescence, enabling quantitative detection of proteins associated with each single cell.



Fluidics-Enabled Flow Cells

Our fluidics-enabled flow cell allows us to deliver the highest quality ELISA reagents with uniform flow in a completely hands-off manner, maximizing consistency.



Deep Hardware Connection with the Software

Access the most efficient lab collaboration tool with advanced figures and export features that help drive decisions across the organization.



Functional Immune Landscaping

Unique Superpowered Biology: Detect subsets of superpowered immune cells

Uniquely Predictive: 50+ uniquely correlative data sets

Gold Standard: Leading tool for single-cell multiplexed cytokine profiling

Highly Multiplexed: Targets 30+ cytokines, per immune cell

Fully Automated ELISA Workflow

Consistent: 20% CV

Sensitive: ~2-2000pg/ml

Widely Published in Biomarkers & Discovery



SINGLE-CELL SECRETOME

Human Adaptive Immune

Granzyme B, IFN- γ , MIP-1 α , Perforin, TNF- α , TNF- β , GM-CSF, IL-2, IL-5, IL-7, IL-8, IL-9, IL-12, IL-15, IL-21, CCL11, IP-10, MIP-1 β , RANTES, IL-4, IL-10, IL-13, IL-22, TGF β 1, sCD137, sCD40L, IL-1 β , IL-6, IL-17A, IL-17F, MCP-1, MCP-4

Non-Human Primate Adaptive Immune

TNF- α , MCP-1, IL-2, IL-4, MIP-1 β , IL-6, IL-8, IL-1 β , RANTES, IFN-g, IP-10, MIP-1 α , MIF, GM-CSF

Mouse Adaptive Immune

Granzyme B, IFN- γ , MIP-1 α , TNF- α , GM-CSF, IL-2, IL-5, IL-7, IL-12p70, IL-15, IL-18, IL-21, sCD137, CCL11, CXCL1, CXCL13, IP-10, RANTES, Fas, IL-4, IL-10, IL-13, IL-27, TGF β 1, IL-6, IL-17A, MCP-1, IL-1 β

Human Innate Immune

IFN- γ , MIP-1 α , TNF- α , TNF- β , GM-CSF, IL-8, IL-9, IL-15, IL-18, TGF- α , IL-5, CCL11, IP-10, MIP-1 β , RANTES, BCA-1, IL-10, IL-13, IL-22, sCD40L, IL-1 β , IL-6, IL-12-p40, IL-12, IL-17A, IL-17F, MCP-1, MCP-4, MIF, EGF, PDGF-BB, VEGF

Human Inflammation

GM-CSF, IFN- γ , IL-2, IL-12, TNF- α , TNF- β , IL-4, IL-5, IL-7, IL-9, IL-13, CCL11, IL-8, IP-10, MCP-1, MCP-4, MIP-1 α , MIP-1 β , RANTES, IL-10, IL-15, IL-22, TGF- β 1, IL-1 β , IL-6, IL-17A, IL-17F, IL-21, Granzyme B, Perforin, sCD40L, sCD137



Intracellular Signaling Omics

Identify Adaptive Signaling Networks: Accelerate development of targeted therapies to overcome resistance & metastases

Highly Multiplexed per Cell: Targets 15+ intracellular proteins from each cell

Pathways Revealed: See multiple coordinated protein pathways engaged for first time

Fully Automated Proteomics Workflow

Published: In a variety of peer-reviewed journals & indication types




SINGLE-CELL INTRACELLULAR PROTEOME

Tumor Signaling Panel

P-PRAS40, P-IkBa, P-NF-k β p65, P-Met, P-p44/42 MAPK, P-S6 Ribosomal, P-Rb, P-p90RSK, P-STAT3, P-MEK1/2, P-Stat1, P-Stat5, P-eIF4E, Cleaved PARP, Alpha Tubulin

Adaptive Immune Panel (Coming Soon)

P-Akt, P-p53, P-PD1, P-LCK, P-CD3 zeta, P-Zap70, P-CCR7, P-CD28, P-41BB, P-MEK 1/2, P-P44/42 MAPK (ERK1/2), P-Jak1, P-Jak2, P-AMPK, P-PI3K, P-mTOR, P-P21, P-LAT, P-NF-kB p65, Alpha Tubulin



High-Plex Walk-Away Immunoassays

Highly Multiplexed: Targets 20-30+ cytokines

Uniquely Fully Automated for High Multiplexing:
5 minutes of hands-on time

Uniquely Small Sample Volume: 11 uL per sample
(for replicates)

Highly Consistent: <20% CV

Modular: 8-64 samples per run = less waiting to
amass samples

Widely Published with Many Applications

CODEPLEX INTRACELLULAR PROTEOME

Tumor Signaling Panel (Coming Soon)

P-PRAS40, P-IkBa, P-NF-kB p65, P-Met, P-p44/42 MAPK, P-S6 Ribosomal, P-Rb, P-p90RSK, P-STAT3, P-MEK1/2, P-Stat1, P-Stat5, P-eIF4E, Cleaved PARP, Alpha Tubulin

Adaptive Immune Panel (Coming Soon)

P-Akt, P-p53, P-PD1, P-LCK, P-CD3 zeta, P-Zap70, P-CCR7, P-CD28, P-41BB, P-MEK 1/2, P-P44/42 MAPK (ERK1/2), P-Jak1, P-Jak2, P-AMPK, P-PI3K, P-mTOR, P-P21, P-LAT, P-NF-kB p65, Alpha Tubulin



CODEPLEX SECRETOME: Selected Panel Menu

Human Adaptive Immune

GM-CSF, Granzyme B, IFN- γ , IL-2, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-13, IL-15, IL-17A, IP-10, MCP-1, MIP-1 α , MIP-1 β , Perforin, sCD137, TNF- α , TNF- β

Non-Human Primate Adaptive Immune

TNF- α , MCP-1, IL-2, IL-4, MIP-1 β , IL-6, IL-8, IL-1 β , RANTES, IFN- γ , IP-10, MIP-1 α , MIF, GM-CSF

Mouse Adaptive Immune

GM-CSF, IFN- γ , IL-1 β , IL-2, IL-4, IL-5, IL-6, IL-10, IL-12, IL-17A, IP-10, KC, MCP-1, MIP-1 α , RANTES, TNF- α

Human Innate Immune

EGF, GM-CSF, Granzyme B, IFN- γ , IL-1 β , IL-4, IL-6, IL-7, IL-8, IL-10, IL-15, IP-10, MCP-1, MIP-1 α , MIP-1 β , PDGF-BB, sCD137, TNF- α , VEGF

Human Cytokine Storm Panel

GM-CSF, IFN- γ , IL-2, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-13, IL-17A, IP-10, MCP-1, MIP-1 α , MIP-1 β , Perforin, TNF- α

Human Stem Cell Signaling

CXCL5, GM-CSF, IFN- γ , IL-1 α , IL-1 β , IL-2, IL-4, IL-6, IL-8, IL-10, IL-15, IL-17A, MCP-1, MIP-1 α , MIP-1 β , RANTES, TNF- α

Human Cancer Signaling

EGF, IFN- γ , IL-1 α , IL-1 β , IL-2, IL-4, IL-5, IL-6, IL-7, IL-8, IL-10, IL-13, MCP-1, MIF, PDGF-BB, RANTES, TNF- α

Mouse Innate Immune (Coming Soon)

IFN- γ , TNF- α , MIP-1 α , IL-15, GM-CSF, IL-5, IL-10, IL-13, IL-6, IL-17A, MCP-1, IP-10, MIP-1 β , EGF, PDGF-BB, MIF

Mouse Inflammation (Coming Soon)

IFN- γ , TNF- α , MIP-1 α , IL-2, GM-CSF, IL-5, IL-10, IL-13, IL-4, IL-6, IL-1 β , IL-17A, IL-12, MCP-1, IP-10, KC

Mouse Stem Cell Signaling (Coming Soon)


GM-CSF, IFN- γ , IL-1 β , IL-2, IL-4, IL-6, IL-10, IL-15, IL-17A, MCP-1, MIP-1 α , MIP-1 β , RANTES, TNF- α

Mouse Cancer Signaling (Coming Soon)

EGF, IFN- γ , IL-1 α , IL-1 β , IL-2, IL-4, IL-5, IL-6, IL-7, IL-10, IL-13, MCP-1, MIF, PDGF-BB, RANTES, TNF- α , VEGF

IsoSpeak Software


Same-day visualizations and insights.




t-SNE
High-Dimensional
Single-Cell Mapping



PF Heatmap
Uncover Critical Cells
and Subpopulations



PAT PCA
Stratify Donor/
Patient Response



UMAP
Highlight Differences
in High Dimensional
Datasets



PF OVERVIEW
Reveal the Polyfunctionality
of Your Samples



PSI
Reveal the Potency
of Different Immune
Cell Types

The screenshot displays the IsoSpeak software interface. At the top, there is a navigation bar with icons for 'iso speak', 'MAIN MENU', 'IMPORT', 'PROJECT INFO', 'DATA PROCESSING', 'DATA TABLES', 'DATA BIOMARKER ANALYSIS', 'EXPORT', and 'SAVE'. Below this is a 'SELECT OPTIONS' section with 'FILTER SELECTION', 'GRAPH OPTIONS', and 'EXPERIMENT SELECTION'. A 'SELECT GRAPH TYPE' bar offers various visualization options like 'SECRETION LEVELS', 'SIGNAL DISTRIBUTION', 'PF OVERVIEW', 'PF INDEX', 'PF GROUPS', 'PF HEATMAP', 'PAT PCA', 'T-SNE', 'STANDARD CURVES', and 'ZOOM'. The main area is divided into several sections: 'GENERAL' (NO CELLS, SINGLE-CELL, TWO-CELL, CLEAR SELECTED, SELECT ALL, AVERAGE REPLICATES), 'STIMULATION' (UNLABELED, CD19, NGFR, CLEAR, ALL, AVERAGE), 'SELECT OPTIONS' (UNLABELED, D0001-D0006, CLEAR, ALL, AVERAGE), 'DONOR GROUPS' (UNLABELED, NONRESPONDER, RESPONDER, CLEAR, ALL, AVERAGE), 'MARKERS' (UNLABELED, CD4+, CD8+, CLEAR, ALL, AVERAGE), and 'CYTOKINES' (CCL-11, GM-CSF, GRANZYME B, IFN-g, IL-10, IL-12, IL-13, IL-15, IL-17A, IL-17F, IL-1B, IL-2, IL-21, IL-22, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IP-10, MCP-1, MCP-4, MIP-1A, MIP-1B, PERFORIN, RANTES, TGF-b1, TNF-a, TNF-b, sCD137, sCD4DL, Clear, Secreting, All). The central part of the interface features a grid of t-SNE plots for various cytokines: GM-CSF, Granzyme B, IFN-g, IL-10, IL-17A, IL-2, IL-22, IL-4, IL-5, IL-8, IL-9, MCP-1, MIP-1a, MIP-1b, Perforin, and TNF-a. The plots are organized into rows for 'Non-Responder' and 'Responder' groups.

IsoSpark System Specifications

Working Environment

For indoor use only
Operating temperature: +15°C ~ +30° C (59°F ~ 86°F)
Humidity: 20% ~ 80% non-condensing
Altitude: < 6,500 ft (2,000 m)

Dimensions

Width: 18 in (45.7 cm)
Height: 19.8 in (50.3 cm)
Depth: 19.7 in (50.0 cm)

Weight

Crated for shipping: 140 lb (63.5 kg)
Free standing: 95.5 lb (43.4 kg)

Bench Size

Width: > 30 in (76 cm)
Depth: > 23.7 in (60.2 cm)

Clearance

Front: > 4 in (10 cm)
Rear: > 4 in (10 cm)
Left: > 12 in (30 cm)
Right: > 12 in (30 cm)
Height: > 12 in (30 cm)

Power Supply

Voltage: 100 V (min) to 240 V (max)
Current: 6.3 A (max)
Frequency: 50/60 Hz

Gas Supply

Connection: 0.25 in or 4 mm OD
push to connect tubing
Pressure: 30-70 PSI
Composition: Carbon dioxide (CO2)
at > 99% purity

User Interface

11 in LCD multi-touch screen

Connection

Ethernet: 1xGigE
USB: 3x USB 3.0, 2 front & 1 rear cable

Contact Us

info@isoplexis.com | 203.500.9350
Visit us at [Isoplexis.com](https://www.isoplexis.com) for more information

Performance Specifications

Consumables

Up to 4 disposable **IsoCode®** or **CodePlex®**
Chips per run with barcode tracking

Reagents

Disposable one-time use reagent cartridge

Cell Counts

500-1500 targeted single cells per chip
2000-6000 targeted cells per run with 4 chips

Throughput

Over 30-plex functional cytokines per isolated single cell
Over 150,000 single cell, secreted protein data points per run

Hands-On Time

< 3 min per sample (cell preparation time not included)

Run Time

< 24 hours from sample loading to results

On-Board Incubator

Temperature: 37 ± 2°C
CO2 Concentration: 5 ± 1%

Laser

Wavelengths: 405 nm, 473 nm, 638 nm
Safety: class 1 laser product

Software Solutions

IsoSpeak® data analysis software
Operating System: PC

For research use only. Not for use in diagnostic procedures.
Individual components cannot be sold or used separately.

704-00091-01 REV 1.5



35 NE INDUSTRIAL ROAD | BRANFORD | CT | 06405, USA
2021 ISOPLEXIS ALL RIGHTS RESERVED